

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
3/8/2018	HF 104	Temp 104.5°F Lymph node marked partial Anorexia	Suspected for thrilliosis/Anaplas- mosis.	1 inj = Bupralex 20ml (im) 1 inj = Oxygen LA - 40ml (im)
4/8/2018	HF 104	Temp 102.5 partial Anorexia	-do-	1 inj = Amipro 7ml SC 1 inj = Atrostar 10ml (im)
5/8/2018	3rd Newborn calf	Shooting Diarrhea	Diarrhea	1 inj = Oxfen 2ml per calf = 6ml 1 inj = Sulphadiazole 3ml x 3 = 6ml
8-8-2018	319, 83, 301	All these animals administered		1 inj = Imipro 8ml per Animal. 8 x 13 = 104ml
	289, 304 334, 326 327, 101 328, 304 306, 331	1 inj Imipro as prophylactic against Babesiosis and Anaplasmosis		1 inj = Atrostar 10ml x 13 = 130ml
12-8-2018	AF 338	Temp 104°F Complaint Anorexia Lymph nodes Swelling.	Suspected for ✓ thrilliosis/Anaplas- mosis,	1 inj = Amipro 6ml SC 1 inj = Atrostar 10ml (im)
13-8-18	AF 338	Temp 102.5°F	-do-	1 inj = Oxfen LA = 40ml (im) 1 inj = Bupralex 20ml (im)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
7-9-19	All Animal	Vaccination FMD	Vaccination against FMD	220ml
8-9-19	HF 68	Temp = 100°F Kicking, panting Anorexia dull, Depress Abdominal pain, stringy feces,	Acidosis / Impaction	1inj = NOSP 15ml, 1inj = Dextrose 1000ml 1inj Ketocet 15ml (iv) Colic green 300ml orally Soda bicarb 250gm, with water solution Amiseal oil 1000ml, orally. Vetafenic plus - 15ml
9-9-19 morning	HF 68	Temp = 101°F	-do-	1inj = Dextrose 2000ml, 1inj, Amivital high 250ml (iv) 1inj = Avil 10ml, Colic green 300ml 1inj = Ketocet = 15ml,
9-9-19	HF 68	Temp = 100°F	-do-	1inj = Hepasal 40ml, Soda bicarb 250gm Liquid paraffine 500ml orally
10-9-19	HF 68	Temp = 101.5°F	Acidosis	1inj = Dextrose 2000ml 1inj Amivital high 250ml (iv), B-Complex 40ml, Rumensalt 50gm, as Alvigest, 50gm orally.

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
13-7-19	AF 801, 322	Temp = 105.6°F Lethargy	Ephemeral fever	1inj Oxigen LA 2 40ml per animal 40x4 2 160ml
	J325, 311	Partial Anorexia	T-D-S	1inj Metafenice plus 10ml 10x4 2 40ml
14-7-19	All Animal	All Animal Vaccinated Against for H, S, V	H-S-V	600ml
15-7-19	AF 801, 322	Temp = 103.8°F	Ephemeral fever	1inj Oxigen LA 2 40ml x 4 160ml
	J325, 311	Partial Anorexia	T-D-S	1inj Metafenice plus 10ml 10x4 2 40ml
16-7-19	HF 68	Temp = 103°F Dull Depress Partial Anorexia	Anaplasmosis	1inj 2 Imipno 8ml (inj) 1inj 2 Atroster 10ml - 1inj Oxigen LA - 40ml
18-7-19	AF 821	Back Udder Swelling	Mastitis	inj Penicillin 15ml
to				15x5 2 75ml
22-7-19				

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
17/4/20	all young stock	all young stock Administred inj Jektalex as prophylacted against Thaileriosis	- do	15x15 1inj = jektalex 15ml 15x15 225ml
24/4/20	J 325	Temp = 101.8°, Shooting Diarrhea worms blockings, Depress decreased appetite and weight loss.	Liver fluke	1inj - Nilzan plus - 100ml only 1inj Oxyfen LA - 20ml, 1inj Oxyfen LA - 20ml, Sulphadimidine 100ml 1inj hepasel, 25ml (IV), Rengit Lactate 100ml
25/4/20	J 325	- do -	- do	1inj Amimidol high 250ml Rengit Lactate 100ml
26/4/20	J 325	- do -	- do	1inj Amimidol high 250ml Rengit Lactate 100ml
27/4/20	J 325	- do -	- do	1inj Amimidol high 250ml Rengit Lactate 100ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
16/11/2020	All Animals	vaccinated against	— HS	Adult Animals 5cc
	Adult,	HS		Heifer 4cc
	young stock			young stock 3cc
	Heifer,			calves - 1.5cc
	Calves			
17/11/2020	HP 107	Temp = 100°F, Partial Anorexia	G ₂ - Weakness	inj ₂ Aminital high 150 ml
		G ₂ - weakness		inj ₂ Renger Lactate 1000 ml
				inj ₂ B-Complex 40 ml
18/11/2020	HP 107	G ₂ - weakness	G ₂ - weakness	inj ₂ Aminital high 150 ml
				inj ₂ Renger lactate 1000 ml
				inj ₂ B-Complex 40 ml
				Alnegest powder 100g m.
19/11/20	HP 107	G ₂ - weakness	Suspected for	inj ₂ Imipro - 6ml
			Trichinosis and	inj ₂ Amil 10ml Oxyfen 30ml
			Anaphylaxis	inj ₂ Jettaler 20ml,
20/11/20	HP 107	— do —	— do —	inj ₂ Hepasol 30ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
11/10/2018	AF 606	Eye Infections	Eye Infection	Eye Ointment polyfax, Eye Drops. Menthachlor, 1ml Eye wash with Boric Acide 20gms
12/10/2018 to 16/10/2018	AF 314	Swelling of udder	Mastitis	1nj = Triberson 17 ml, Repeat 5 days 17 x 5 = 85 ml
14-10-2018	AF 321	Temp = 104.0° Lymph node marked, partial Anorexia Dull, Depress, Lethargy	Thailivosis	1nj = Bupraxis - 20ml, 1nj = Oxyfen LA = 40ml,
14/10/2018	AF 606	Eye Infections	Eye Infection	Eye Ointment polyfax, Eye Drop. Menthachlor, Eye wash with Boric Acide
16-10-2018 17-10-20	AF 321	Temp = 103.0°	Thailivosis	1nj = Jettalix 20ml x 2 or 40ml 1nj = Oxyfen LA = 30ml, 1nj = Amicidal high 100 ml (iv) 1nj Ringer lactate 1000ml (iv) 1nj Anal 10ml (iv)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
24/3/20	HF 83	Temp 100.5 F by depression Dull, Kinking	Mix infection	Regin lactate 2000ml, Inj Amintal high 250ml, Inj Amil, 10ml, Inj B-Complex 50ml, Nospa, 10ml, Regin lactate 1000ml, Ketogect 15ml, Amintal high 250ml (iv) Rumen fast 50gm orally. Sample out 100ml orally. Inj Ketogect,
25/3/20	HF 83	-do-	-do-	Inj Aminoptyline 10ml (iv) Dextrose 25% 200ml (iv) Ketogect, 15cc Amintal high 250ml (iv) Regin lactate 2000ml, B-Complex Dexamethason 25ml (iv).
25/3/20	HF 86	↳ weakness	↳ weakness	Inj Amintal high 250ml Regin lactate 2000ml, Nizak plus orally 120ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
15/5/20	AF 276	open wound	open wound	DSP - with KMNO ₄ Povidine 200ml Cotton Roll,
18/5/20	OF 276	open wound	open wound	DSP with KMNO ₄ Salubin Povidine 150ml Cotton Roll,
25/5/20	All young Stalk	ticks	ticks	inj = Ivermectin + Negawan Spray 500gm in shed.
29/5/20	AF 349	Temp = 106.5 - F Complete Anorexia	Suspected for theileriosis	inj Oxygen LA - 40ml inj: Jaffalax 20ml inj Anil 10ml Dextrose 200ml Amicital high 250ml
30/5/20 M/E	AF 349	Temp = 104 F C - Anorexia	do - mix infection of Theileriosis and Anaplasmosis	inj = Amicital high 100ml Dextrose 200ml Liquid Paraffin 500ml Alvegest 10gm Colic green 500ml anil 10ml Imiter 7ml Hepasel 25ml,
31/5/20 M/E	AF 349	Temp = 102 R C - Anorexia	do -	inj = Amicital high 100ml 2 Dextrose 200ml B-complex 50ml inj = Jaffalax 20ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
4/5/20	J325	Temp = 101. Diarrhea Unable to stand	Digestive problem Weakness	inj 2 Amintal high 200ml inj 2 Renger lactate, 1000ml inj 2 B-complex 50ml
5/5/20	J325	Unable to stand Diarrhea	GI weakness	inj 2 Amintal high 250ml inj 2 Renger lactate 1000ml inj 2 snail 10ml inj 2 B-complex 50ml
6/5/20	J325	Unable to stand Diarrhea	GI weakness Digestive problem	inj 2 Sulphadiazine 200ml orally inj 2 Amintal high 250ml inj 2 I.B.T.S 15ml, inj Dextrose 2000ml
6/5/20	HE96	Shedding Diarrhea	Digestive problem	inj T.S 15ml Dextrose 1000ml, Amintal high 150 Sulphadiazine 200ml orally

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
01/6/20	AF 276 276	Ob Weakness	Weakness/ open wound	1 inj 2 Amixital high 100ml 1 inj 2 penbotric 2 nail with Dantellectar Salutin 20ml
1/6/20 MIE	AF 349	Temp 2 102 F	mix infection	1 inj Anil 10ml Dextrose 200ml 1 inj 2 Hepasal 50ml Alnegest 100gm B-complex 50ml Calin green.
2/6/20	AF 349	Temp 2 102 F partial Anorexia Emaciated	do	Blood Transfusion 3000ml by Dr. ⁸⁵ Shumail _{AP}
3/6/20	AF 96	Gr. Weakness	Gr. weakness	Alnegest powder 100gm orally Ringer Lactate 1000ml, B-complex ^{10 days} Hepasal, 25ml (inj) 2.5 mineral _{daily} 100g
3/6/20	AF 349	Temp 2 101.5 F Low feed intake	mix infection	Starch powder 250gm Tablet Tri Hemic 600gm 2x6
4/6/20	AF 349	Temp = 101 F Low feed intake	Abdominal Pain	1 inj Paracet 100 1 inj tryton 20ml 1 inj No-spa 20ml (inj) Tri Hemic 600gm 1 inj 100ml Amixital high 120ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
18/3/20	HF 83	Swell, Depress Temp = 106.6° Lymphnode Mild Rantail Anorexia	Mix infection	inj = Imipino 7ml inj = Anil 10ml, inj = oxygen LA ₂ 40ml, Stomach powder, Aluigest Ringer lactate 100ml Amicidal high 20ml
19/3/20	HF 96	Weakness, Low feeding	Weakness	
19/3/20	HF 83	Temp = 104° Rantail Anorexia	Mix infection	inj = Jettalex 20ml, inj = oxygen LA ₂ 40ml,
20/3/20	HF 83	Temp = 101.5°	Mix infection	inj = Jettalex 20ml inj = Amicidal high 100ml, Ringer lactate 100ml, inj Anil 10ml inj B-Complex 50ml,
21/3/20	HF 83	Temp = 100°	Mix infection	inj = Oxygen LA ₂ 40ml (1m) inj = Hepasel 40ml (1m)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
5/3/20 to	AP373	Temp = 104.5 ^o F Depress Partial Anorexia, Weakness Joint problems,	Suspected for Anaplasmosis and Theileriosis	inj 2 oxyfen 10ml, inj 1mipro 4ml, inj 2 Anil, inj 2 Amivital high feeding fresh 2ltr milk repeat 5 days
7/3/20	AP373	Temp - 103 ^o F —	— do —	inj Septalus 10ml, inj Amoxicil plus 2 15ml, Amivital high 50ml (iv) Ringer lactate, 500 ml feeding Fresh milk 2ltr.
8/3/20	AP373	Temp = 100 ml, Weakness Diarrhea	G. Weakness/ Digestive problem	inj 2 Amivital high 100 ml (iv) Ringer lactate 500ml inj B-complex 50ml, Reman cast 25gm with milk-Milk Salutier, inj Sulphedihidic 20ml
9/3/20	HP, 109, 110, 114, 116, 118 112, 319, 331 338-345-349 311, 327, 324	All These cows Administered inj 2 Imipro as prophylactic against Babesiosis and Anaplasmosis	— do —	inj Imipro 8ml x 14 = 112 ml inj 2 Anil 10 x 14 = 140 ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
24-9-19	HE124	Temp 104°F Lymph node Marked partial anorexia, Dull Depress, Lemness	Mix Infection / protozoal	inj. Baytrax 10 ml, inj. Oxyen LA - 15 ml, inj. Metajenic plus - 10 ml (iv)
25-9-19	HE124	Temp 104°F Lymph node in Marked complete Anorexia	Mix Infection	inj. Imipro 15 ml, inj. Metajenic plus 10 ml inj. Anal 100 ml 50 ml inj. Amivital high 50 ml iv
26-9-19	HE124	Temp 101°F complete Anorexia	Mix Infection	inj. Hepasal, 100 ml inj. Metajenic plus 10 ml inj. Ringer Lactate 1000 ml Almagist, 50 gm, Amivital high 50 ml
27-9-19	HE124	Temp 100°F complete Anorexia	Mix Infection	inj. Amivital high 100 ml (iv) Ringer Lactate 1000 ml, Stomach powder 100 gm - orally Almagist 50 gm.

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
17/10/2019	Breeding Bull AF 572	Infection, maggots Lemness	maggots	ASD, Nagaween, 1ml 2 Amoxicil plus, pain killer, Dydine 200ml, K ₂ NO ₄ , Bandage, 6", 3" 2 Number, Cotton Dressing
18/10/2018	All Animal	for tick control, Nagawean Spray	Tick	One 2 kg Nagawean Solution with 40 liter water, spray animal and shed.
19/10/19	Breeding Bull AF 572-	Infection maggots Lemness	maggots	ASD with K ₂ NO ₄ , Solz ml Amoxicil 50ml, Dydine 200ml, Bandage 6", 3" 2 No. Cotton Roll Dressing,
20/10/19 to 24/10/19	AF 289	Rus in milk	Mastitis	1ml Triberson 17ml per day Continued 5 day 17x5 = 85ml Tetracycline Solz
22/10/19	AF 96, 101 276, 301, 332, 316 318, 339 333, 335	All these cows administered 1ml 2 Impipro as prophylact against Babesiosis and Anaplasmosis		1ml 2 Impipro 8ml per cows 8x10 = 80ml, (Stc) 1ml 2 Atrostar 10ml per animals LORIO 2 100ml (1M)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
15-8-19	HF 99	Blood in milk	Mastitis	1 ^{inj} z Transamin 5ml
to 19-8-19				1 ^{inj} z Triberson 15ml x 5 days 75ml
16-8-19	HF 96, AP 337	Temp = 106.5° F Lymph node	Ephemeral Fever	Soda bicarb 200gm orally z 2 Time
	AP 318	Marked partial Anorexia	T.D.S	1 ^{inj} z Oxfen LA - 40ml x 3 z 120ml
		Tempang		1 ^{inj} z Vetaferic plus 10ml z 30ml
16-8-19	AP 316	Temp = 105.4° F Lymph node	Suspected for	1 ^{inj} z Bupralex 20ml x 2 = 40ml
to 18-8-19		Marked partial Anorexia	Thyroidosis	1 ^{inj} z Oxfen LA z 40ml x 2 = 80ml
20-8-19	AP 311	Temp = 104.5° F Lymph node	Mix infection	1 ^{inj} Bupralex 20ml (inj)
to 21-8-19		Marked partial Anorexia		1 ^{inj} Oxfen LA z 40ml (inj)
		Dull Depress		2 nd day 1 ^{inj} Imiprex 80ml (inj)
				1 ^{inj} Atrostar 10ml (inj)
				1 ^{inj} Vetaferic plus 15ml,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
3/12/19	HF 109	Temp: 99.8 Rectal,	Milk fever	inj. Melfonc, 450 x 22 200ml (iv) inj 2 Anil 20ml inj faspac 20ml,
3/12/19	HF 101	Retain placenta	R.F.M	Tablet Uteral 6 pills inj = penbiotic 20ml 5gm inj 2 Dexamethasone 5ml,
7/12/19	AF 276	Repeat Breeding	Endometritis	inj 2 Penbiotic 2 unit 5gm Poydin 6ml, inj 2 Atrostar 20ml
8/12/19	AF 276	Repeat Breeding	Endometritis	inj penbiotic 2 unit 5gm Poydin 6ml, inj 2 Atrostar 20ml, inj 2 Anoxivent 50ml,
15/12/19 to 19/12/19	AF 318 HF 96 HF 99	Smelling of udder	mastitis	inj 2 Triberson, 18ml per cow, 18 Repeat 5 days 18 x 3 = 54 x 5 days - 270 ml,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
7/5/20 to 11/5/20	Af-289	Smelling of udder	mastitis	inj: Triberson 20ml per time continued 5 days. 20ml 100ml,
8/5/20	HE 96	Shooting Diarrhea	Digestive problem	inj: TS 20ml, Diarrhea Stop powder 200gm inj: Amintal high 150ml, B-complex 30ml
11/5/20	Af 327	Temp: 106 ^o , Depress partial Anorexia, Lemness	mix infective	inj: Jektalex 20ml, inj: Oxyfen LA-40ml,
12/5/20	do-	Temp: 103 ^o do-	do-	inj Amipro 7ml etc inj-Amintal high 50ml (iv)
13/5/20	Af 327	Temp: 101 ^o partial Anorexia	mix infective	inj: Jektalex 20ml (iv) inj: Oxyfen LA 40ml, inj: Hepasul, 20ml (im)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
7/1/20	HF 113	unable to stand	obturator nerve paralysis	inj 2 Amikacin high 2250ml inj - Ringer lactate 1000ml inj 2 Flunarglu 2 12ml, inj 2 Amil 10ml,
8/1/20	HF 113	unable to stand	obturator nerve Paralysis	inj 2 Amikacin high - 250ml (iv) inj 2 Ringer Lactate 2000ml, inj 2 flunarglu 12ml (im) inj 2 Amil 10ml (iv), ketogest 15ml
9/1/20 to 13/1/20	HF 101	Pus/Blood in milk	mastitis	inj 2 Genton 20ml x 5 = 100ml Tetracycline tube - 2 NO - u
9/1/20 to 18/1/20	AF 304	pus in milk	mastitis	inj Tetracycline 17ml per time Repeat 5 day Regularly 85ml,
14/12/20	AF = 329 330	Open wound wounds	open wounds	ix. ASP witte KMNO ₄ , povidone Cotton Roll, ketogest 15ml
13/1/20	HF 96	Weakness	Weakness	Amikacin high = 250ml B-complex 50ml Ringer lactate 2 1000ml Amil 10ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
28-9-2018 to 2-10-2018	AF 289	Pus in milk	Mastitis	1mj Triberson 15 ml x 5 days - 75ml Tetradetta tube - 3 nos.
30-9-2018	AF 301,	Temp 105°F, Left dull depress Lymphnode marked, Rantail Anorexia	Thailiosis ✓	1mj 2 Jeftalex 20ml 1mj = Netajen plus - 15ml 1mj 2 Oxygen LA = 30ml,
2/10/18	AF 301,	Temp 102.5	Thailiosis ✓	1mj 2 Jeftalex 20ml 1mj Netajen plus 15ml 1mj 2 Oxygen LA = 30ml, 1mj 2 Amicidal high 50ml per day Continued 5 days - 50x5 = 250ml,
3/10/18	AF 324,	RFM,	RFM	1mj 2 Oxybain 2 Tml, 1mj 2 Netajen plus - 15ml Manually Remove, Tab 2 Utinal, 6 NO,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
11-9-19 to 15-9-19	AF 319	Pus in milk	Mastitis	inj Triberson 15ml x 5 = 75ml Soda bicarb 250gm orally.
18-9-19	AF 356	maggets in Right side of Uterus	maggets	Rx ASD with KMNO ₄ Sol. pyodine 200ml, Dressing Nagawan powder 10gm + Penicilline 5gm
19-9-19	AF 356	maggets in Right side uterus	maggets	ASD with KMNO ₄ Sol, pyodine 200ml Nagawan powder 10gm + penicilline 10gm Ranzana oil, Dressing
20-9-19	AF 356	-do-	-do-	ASD with KMNO ₄ Sol, pyodine 100ml Penicillin 5gm + inj 2 Amoxicil 6ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
21-9-19	AF 356 and Male Breeding Bull	open wound	Wound,	ASD with pyodine 300ml 1inj penbioitic 10gm - Ranzone 50ml
22-9-19	AF 356 and Male Breeding Bull	open wound	wound/maggots	ASD with pyodine 300ml 1inj penbioitic 10gm - Ranzone, OTC spray
22-9-19	AF 324	RFM	RFM	Utinol tablet 6 sps and Ranzone with handy manually,
23-9-19	HF 123 Heifer	Temp 2/104 ^o , Lymph node swollen	Mix infection	1inj Supralin 10ml + Oxycort 15cc = Netafeni = 10ml
23-9-19	AF 356 and Male Breeding Bull No.	Open wound	wound/maggots	MSD with pyodine 300ml 1inj penbioitic 10gm - 1inj Amoxicil 30ml
24-9-19	AF-356 Male Breeding Bull	open wound	wound/maggots	ASD with pyodine 200ml 1inj Amoxicil 30ml,
24-9-19	HF 123	Temp 2/103 ^o Lymph node swollen	Mix infection	1inj Anal 10cc
		Ranzone Amoxicil		1inj Amipro - 4 cc 1inj Amoxicil high 50ml (iv) 500ml Ranzen dactate inj Netafeni plus - 10ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
3-7-19	HF 108	Swelling of udder	mastitis	1 st inj 2 Triberson 15 ml per day Continued 5 day 2 5x15 = 75 ml
4-7-19	HF 111, AF, 304,	Temp 105 ^o F, dull, depress Lemness, coughing	Ephemeral fever (T.D.S)	1 st inj 2 Oxjen LA 30ml x 2 = 60 ml 1 st inj 2 Metafenic plus 10x2 = 20ml
7/7/19	AF 330	Lemness in hind leg	Nerve problems	1 st inj 2 Amivital high 250ml, (iv) B-12 1 st inj 2 Ketocet 10 ml (iv)
8-7-19	AF 304, AF, 333	Temp 106 ^o F dull depress Lemness, coughing	Ephemeral fever T.D.S	1 st inj Oxjen LA 40 ml x 2 80ml 1 st inj Metafenic plus 10x2 = 20ml
9-7-19	AF 69	Dark Red urination Anorexia	Bebesiosis	1 st inj EA-Fry Bonif 1 Sachul. 1 st inj 2 fosfan 20ml (iv) 1 st inj 2 Amivital high 100 ml (iv) 1 st inj 2 Rengin lactate 100ml (iv) Ansdarol 1 liter orally -

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
27/3/20	Calf.	Lymph nodes swelled	Thaierosis	inj Jettulix 8ml, oxyfen 8ml,
to 28/3/20		Temp: 105 F	-do-	
		Temp: 101.4	-do-	inj 2 Jettulix 8ml inj 2 Amintul viz 8ml,
30/3/20	HE 107,	G. weakness, diff.	G. weakness	inj 2 Hepasel 30ml 230x6 180ml
to				inj 2 Oxyfen 30ml -
3/4/20				L.S. Menant 100gm 100gm x 6 = 600gm Nilran plus - 80ml, orally with Ghose solution 200gm. Rengit lactate 1000ml, 1000 x 6 = 6000ml
10/4/20	Bulls/2 Nos.	Ticks Control	Ticks Control	inj 2 Ivermectine 10x/2ml 120ml,
10/4/20	HE III, AR 330 AR 319	Ticks	Ticks	inj Ivermectine 10x3 = 30ml -

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
2/2/20 to 3/1/20	AF 301	Repeat Breeding	Endometritis	1inj = penicillin 2 unit, per day continued 3 days 1inj = oxytocin 4ml x 3 = 6 unit
3/1/2020	HF 113	Cow Tag No - HF 113 Slipped in paddock, Both hind legs of cow spread apart in the mud, The cow assisted manually and stand up at that time, The cow housed in adult animal shed for clinical examination and treatment at that time.	Suspected for Obturator nerve paralysis.	1inj = Meloxicam - 12ml 1inj = Amitriptyline high 50ml, 9inj = Flunexilol - 10ml.
3/31/20 to 4/1/20	HF 96	Temp 105.0, Depress Lymph node marked	Mix infective	1inj = Ampicillin 6ml 1inj oxygen LA 25ml 1inj Jettulap 1inj Amitriptyline high 200ml
4/1/20 to 6/1/20	AF 311	Repeat Breeding	Endometritis	1inj = penicillin 2 unit x 3 = 6 unit 1inj = oxytocin 5ml x 3 = 15ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
mon 4/1/20	HF 113	The cow was unable to stand even on wheat straw bedding. She was assisted with a group of farm workers but both the hind legs split and cannot stand.	Obturator nerve palsy	1 inj Ketajet 12ml (im) 1 inj Amiketal high 250ml (im) 1 inj Flumeglu 10ml
Evening 4/1/20	HF 113	Same	Same	1 inj Flumeglu 10ml 1 inj Vety Moxil LA 50ml 1 inj Amiketal high 40ml
5-1-20	HF 113	Same	Same	1 inj Flumeglu 12ml 1 inj Vety Moxil LA = 20ml 1 inj Amiketal high 250ml (im) Regiv Lactate (im)
6-1-20	HF 113	Same	-do-	1 inj Regiv Lactate 100ml + Amiketal high 250 (im) 1 inj Amiketal high 250ml (im)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
5/10/19 to 9/10/19	AF 68	Smelling of udder	Mastitis	1st 2 Triberson 17ml, Sclays 5x172 85ml, Tetradeltatubse 2ml
8/10/19	Male calf- 606	Temp 102° ^F , Eye infectious	Eye Infection	1st 2 Oxppen 20ml, Eye wash with Distal water and Boric Acide,
9/10/19 Morning	AF 606	— Temp 102° ^F Eye Smelling	Eye Infection	Eye wash Distal water with Boric Acide Eye Drops. Methachlor, 1ml,
9/10/19	AF 606	Eye Smelling	Eye Infection	Eye wash Distal water with Boric Acide Eye Drops. Methachlor, 1ml,
10/10/19	AF 606	Eye infectious	Eye Infection	Eye drops. Methachlor 1ml,
10/10/19 to 14/10/19	AF 304	Blood in milk	Mastitis	1st 2 Triberson 15ml Sclays 5x172 25ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms.	Diagnosis	Treatment
22/11/2019 to 25/11/2019	Af-289	Swelling of Back udder	mastitis	inj 2 Triberson, 20ml continued 5 days, 20ml x 5 = 100ml,
25/11/2019	AF 104	Open wound	open wound	ASD with KMNO ₄ , povidine Bandage, 6" and Cotton Rolls
26/11/2019	HF 104	open wound	open wound	ASD with KMNO ₄ , povidine Bandage Bandage 6" and Cotton Roll,
27/11/2019	HF 104	open wound	open wound	ASD with KMNO ₄ , povidine Bandage 6" and Cotton Rolls.
28/11/2019	HF 113	Temp 104°F parturient Anorexia dull depress	Suspected fever Anaplasmosis Thrombocytopenia	inj 2 Imipenem 7ml inj Anastro 10ml inj 2 Oxyfen LA-30ml inj 2 Jeftaleri 20ml and inj 2 Oxyfen LA-25ml,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
28/4/20	J325	Temp = 104.5°F Lymph node marked Partial Anorexia Dull Depress Lethargy	Mix infectious/ Suspected for Tuberculosis	inj = Jeffalex 20ml, inj = Oxyfend LA - 25ml, inj = Amikacin high 50ml
29/4/20	J325/16	Temp = 101°F Lymph node marked partial Anorexia Shooting Diarrhea	Mix Infection/ Suspected for Anaplasmosis	inj = Imipro 7ml, inj = Amikacin high 250ml Ringer's lactate 1000ml (iv) inj Sulphadiazine 100 orally with water 100ml
1-5-20	J325	Temp = 101.5°F unable to stand. Shooting Diarrhea	Weakness/ Digestive problems.	inj = Amikacin high 50ml (im) inj = Triberson 12ml (im) inj = Sulphadiazine 100 orally
2-5-20	J325/ HP96	Temp = 101.5°F unable to stand shooting Diarrhea	Weakness / Digestive problems.	inj = hepascl 20ml (im) inj = Sulphadiazine 100ml orally inj = Triberson 12ml,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
7/11/2019 to 11/11/2019	RF 301	Blood in milk	Mastitis	1 inj 2 Triberson 17 ml sday continued 17x5 2 85 ml, Soda bi carb 200 gm with water orally, 2 times
12/11/2019 to 17/11/2019	HR 83	Difficult to stand	Weakness	1 inj 2 VD3E = 50ml per day continued 6 days = 300 ml 1 inj 2 Amikant 50ml x 6 = 300
15-11-2019	HR 101	Dark Red Urination Anorexia Temp 103.5 F	Babesiosis	1 inj 2 Imipro = 8 ml, 1 inj 2 Atrosatan 100ml 1 inj 2 oxyfen LA 2 25 ml, Soda bi carb 200 gm, Anard oil 1000ml
18/11/2019	JS - 344	infections, maggots in vulva	Maggots	Antiseptic dressing, penbiotic
19/11/2019	J - 344	infection maggots	Maggots	ASD, Sul, with KMNO ₄ Nagawan, 10 gm, dressing Cotton Roll, 1 inj 2 Antibiotic 5 gm, 2 vial
20/11/2019	J-344	Infection, maggots in vulva	Maggots	ASD Sul, with KMNO ₄ , dressing, 1 inj 2 penbiotic 5 gm,

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
22-1-20 to 26-1-20	HF 104	Rus in milk	mastitis	inj Triberson 18 ml, per day continued 5 days, 18x5 = 90 ml
23/1/20 to 28/1/20	HF 107	Gr. weakness, unable to stand.	Gr. weakness	inj 2 Aminital high 150ml daily = 150x8 = 1200ml inj 2 B-com plus 250x6 = 300ml, L.S. Menzard ^{daily} 1000gm Oxfendazol, 100ml, Ketoject - 15ml one time
28-1-20	AF 276	cut ^{open} wound	wound	ABD with pyodine 200ml inj 2 Amoxicilf 50ml
29-1-20	All young stock Herby	Nagwan spray for tick control	Tick control	One 1kg with 40 liter water Solubri Spray all animals.
1-3-20	Calf 2	unable to stand	Gr. weakness	inj 2 Aminital high 2 50ml
2-3-20 to 6-3-20	HF 83	Blood in milk, clots	mastitis	inj 2 Rugev lactate 500ml, inj - Gentan 25ml, x5 = 125ml
4-3-20	Calf -	Unable to stand	Gr. weakness Diarrhea	inj 2 Aminital high 50ml inj 2 Rugev lactate 500ml inj 2 B-com plus 250ml inj Sulphadimidine 20ml orally inj Oxytetracycline - 10ml (i.v.)

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
23/10/19	Female calf-	Infection, maggots	maggots	Rx = ASD with KMNO ₄ , Sal ₂ povidine 100ml, Cotton Roll,
25/10/2019	Female calf AF 375	Loss motion	Diarrhea	inj = Sulphadimidine 15ml orally Evening and morning 15x2 = 30ml, inj oxygen LA 8ml,
28/10/2019	AF 375	Loss motion	Diarrhea	Dyxo-x powder 20gm with water Salmetin,
31/10/2019 to 4/11/2019	AF 349	Temp = 101.5F open mouth Breathing Cough	Respirative problem	inj = Genton, 25ml, Panacort 120ml, 25x5 = 125ml
7/11/2019	Female calf	open wounds	open wounds	Rx ASD with KMNO ₄ , Sal ₂ , povidine 100ml, Cotton Roll,
8/11/2019 to 11/11/2019	AF 276 AF 318 AF 316	Loss motion Shooting Diarrhea	Digestive problem	inj = Triberson 15x3 = 75ml x3 = 225ml inj Sulphadimidine 100x3 = 300ml 900ml

Treatment Register, Agriculture University Peshawar Dairy Farm

Dated	Tag No	Symptoms	Diagnosis	Treatment
10/3/20	AF 333	Lymphness	Lymphness	inj 2 Meloxic 15ml 3days = 15x3 = 45ml
12/3/20 to 16/3/20	AF 316	pus in milk	Mastitis	inj 2 Treberson 20ml Repeat 5 days 20x5 = 100ml
12/3/20 to 15/3/20	HF 107,	Cow tag NO-HF 107 Slipped in open shed, Both hind Lags of cow sp reads out in the mud, the cow assisted manually and stand up.	Suspected for obstructor nerve paralysis.	inj 2 Meloxic 12ml 12x3 = 36ml inj 2 Amivitaq high 200ml, 200x3 = 600ml inj 2 flumezole 10ml. 10x3 = 30ml inj 2 Amovint 5ml, 5x3 = 15ml
16/3/20	All Heifers	All these Heifer Animal Administred inj Imipro as prophylacted against Babesiosis and Anaplasmosis	Suspected for Babesiosis and Anaplasmosis	inj 2 Imipro 7ml x 29 = 203ml inj 2 Atropine 10x29 = 290ml
17/3/20	HF 96	Temp = 104°F Lymphness Weak, low feeding	Suspected for Babesiosis and Anaplasmosis	inj 2 Imipro 7ml inj Amivitaq inj - oxyfer LA = 25ml, Inj 2 250ml